

Libero SU



Quickinfo

GENERAL

Outdoor Lighting-wall light
 wall surface mounting
 IP65
 driver on board
 220-240 V 50/60Hz
 ETI
 Shinland
 Die-casting aluminum

COLOUR

● Grey ● Black

ERP LABEL

DOBAC Libero SU
LED

 This luminaire contains built-in LED lamps


} L
 E
 D

The lamps cannot be changed in the luminaire

847/2012  



Purchase Code	Luminaire Power [W]	Luminaire Lumen [lm]	Color Temperature [K]	Beam Angle [°]	CRI [Ra]
5302.008.030.3000.80	8	540	3000	30	>80
5302.010.030.3000.80	10	770	3000	30	>80
5302.020.040.3000.80	20	1800	3000	40	>80



Sample image

Libero SU




5302.008.030.3000.80

Packing Info

36pcs / ctn

G.W. 18.64kg

ctn size 445x245x350 mm




5302.010.030.3000.80

Packing Info

24pcs / ctn

G.W. 18.76kg

ctn size 420x290x350 mm




5302.020.040.3000.80

Packing Info

12pcs / ctn

G.W. 13.30kg

ctn size 500x265x360 mm



Libero SU



LIBERO FAMILY

Libero SUD

Libero SU

Libero DUD

Libero SUD
5303.024.030.3000.80



Libero SUD
5303.032.030.3000.80



Libero SUD
5303.060.040.3000.80



Libero SU
5302.008.030.3000.80



Libero SU
5302.010.030.3000.80



Libero SU
5302.020.040.3000.80



Libero DUD
5302.008.030.3000.80



Libero DUD
5302.010.030.3000.80



Libero DUD
5302.020.040.3000.80

